Author Index Vol. 660

Abbott, F.S., see Riggs, K.W. 660(1994)315
Abe, H., see Okuma, E. 660(1994)243
Abe, T., see Futani, S. 660(1994)164
Abu-Izza, K. and Lu, D.R.
Liquid chromatographic determination of sodium mercaptoundecahydrododecaborate in rat urine and plasma after precolumn derivatization 660(1994)347
Ahn, W.-S., see Myung, S.-W. 660(1994)75
Anes, J.M., Beck, R.A., Brink, J.J. and Goldberg, R.J.
Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180
Aoki, H., Ohshima, Y., Tanaka, M., Okazaki, O. and Hakusui, H.
High-performance liquid chromatographic determination of the new quinolone antibacterial agent DU-6859a in human serum and urine using solid-phase extraction with photolysis–fluorescence detection 660(1994)365
Axelson, J.E., see Riggs, K.W. 660(1994)315
Ayotte, C., see Li, F. 660(1994)327
Banditt, P.
Determination of orotic acid in serum by high-performance liquid chromatography 660(1994)176
Banditt, P., see Martens, J. 660(1994)297
Barker, I.K., Crawford, S.M. and Fell, A.F.
Determination of altretamine in human plasma with high-performance liquid chromatography 660(1994)121
Beatch, G., see Laganière, S. 660(1994)191
Beck, R.A., see Anes, J.M. 660(1994)180
Berndt, A., see Oertel, R. 660(1994)353
Bersten, A.D., see Whiting, M.J. 660(1994)170
Bielenstein, M., see Johansson, M. 660(1994)111
Blanco Gomis, D., Escotet Arias, V.J., Fidalgo Alvarez, L.E. and Gutiérrez Alvarez, M.D.
Simultaneous determination of vitamins D_3, E and K_1 and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49
Boulieu, R.
Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221
Brink, J.J., see Anes, J.M. 660(1994)180
Brøsen, K., see Nielsen, F. 660(1994)103
Calvaruso, G., Tesoriere, G., Vento, R., Giuliano, M. and Carabillò, M.
High-performance liquid chromatographic method for the determination of insulin synthesis in biological systems 660(1994)259
Campione-Piccardo, J., see Pulido-Cejudo, G. 660(1994)37
Carabillò, M., see Calvaruso, G. 660(1994)259
Carter, A.J.
Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158
Castellote-Bargallo, A.I., see Gonzalez-Corbella, M.J. 660(1994)395
Caude, M., see Chapeau, V. 660(1994)341
Chao, W.-f., see Funakoshi, K.-i. 660(1994)200
Chapeau, V., Moulin, A., Caude, M. and Dufour, A.
High-performance liquid chromatographic determination of oxodipine enantiomers, a new 1,4-dihydropyridine, applied to stereoselectivity studies in man and dog 660(1994)341
Charles, B.G., Foo, C.C. and Gath, J.
Rapid column liquid chromatographic analysis of flucloxacillin in plasma on a microparticulate pre-column 660(1994)186
Cone, E.J., see Wang, W.-L. 660(1994)279
Cooper, S.F., see Li, F. 660(1994)327
Corran, P.H., see Raut, S. 660(1994)390
Côté, M., see Li, F. 660(1994)327
Crawford, S.M., see Barker, I.K. 660(1994)121
Criscuoli, M., see Lippi, A. 660(1994)127
Darwin, W.D., see Wang, W.-L. 660(1994)279
Delsenne, F., see Meulemans, A. 660(1994)401
Deutz, N.E.P., see Van Eijk, H.M.H. 660(1994)251
Dufek, P., see Hradec, J. 660(1994)386
Dufour, A., see Chapeau, V. 660(1994)341
Ellingson, J.S., see Seenaiah, B. 660(1994)380
Escotet Arias, V.J., see Blanco Gomis, D. 660(1994)49
Fell, A.F., see Barker, I.K. 660(1994)121
Ferrala, N.F., Ghanayem, B.I. and Nomeir, A.A.
Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291
Fidalgo Alvarez, L.E., see Blanco Gomis, D. 660(1994)49
Foo, C.C., see Charles, B.G. 660(1994)186
Fujii, E., Iwase, H., Ishii-Karakasa, I., Yajima, Y. and Hotta, K.
Quantitation of the glycation intermediate 3-deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265
Funakoshi, K.-i,, Yamashita, K., Chao, W.-f., Yamaguchi, M. and Yashiki, T.
High-performance liquid chromatographic determination of busulfan in human serum with on-line derivatization, column switching and ultraviolet absorbance detection 660(1994)200
Futani, S., Ubuka, T. and Abe, T.
High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4′-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164
Gaffney, P.J., see Raut, S. 660(1994)390
Gagnon, J., see Pulido-Cejudo, G. 660(1994)37
Gath, J., see Charles, B.G. 660(1994)186
Ghanayem, B.I., see Ferrala, N.F. 660(1994)291
Giuliano, M., see Calvaruso, G. 660(1994)259
Goernert, L., see Laganière, S. 660(1994)191

Goldberg, R.J., see Anes, J.M. 660(1994)180
Gondo, K., see Iwase, H. 660(1994)422
Gonzalez-Corbella, M.J., Lloberas-Blanch, N., Castellote-Bargallo, A.I., Lopez-Sabater, M.C. and Rivero-Urgell, M.
Determination of α-tocopherol in plasma and erythrocytes by high-performance liquid chromatography 660(1994)395
Gordon, J., see Pulido-Cejudo, G. 660(1994)37
Gramatté, T., see Oertel, R. 660(1994)353
Grodnitskaya, E.I., see Volkov, S.K. 660(1994)405
Gutiérrez Alvarez, M.D., see Blanco Gomis, D. 660(1994)49
Hakusui, H., see Aoki, H. 660(1994)365
Hellemann, C., see Lintelmann, J. 660(1994)67
Hodgson, D., see Varelis, P. 660(1994)151
Hooijerink, H., Schilt, R., Van Bennekom, E.O. and Huf, F.A.
Determination of beta-sympathomimetics in liver and urine by immunoaffinity chromatography and gas chromatography–mass-selective detection 660(1994)303
Hotta, K., see Fujii, E. 660(1994)265
Hradec, J. and Dufek, P.
Determination of cholesteryl 14-methylhexadecanoate in blood serum by reversed-phase high-performance liquid chromatography 660(1994)386
Huf, F.A., see Hooijerink, H. 660(1994)303
Huinck, M.P.L., see Van Eijk, H.M.H. 660(1994)251
Ishii-Karakasa, I., see Fujii, E. 660(1994)265
Iwase, H., Gondo, K., Koike, T. and Ono, I.
Novel precolumn deproteinization method using a hydroxyapatite cartridge for the determination of theophylline and diazepam in human plasma by high-performance liquid chromatography with ultraviolet detection [J. Chromatogr. B, 655 (1994) 73–81] 660(1994)422
Iwase, H., see Fujii, E. 660(1994)265
Jamison, K., see Pulido-Cejudo, G. 660(1994)37
Jianying, Z., Machida, Y., Sugahara, K. and Kodama, H.
Determination of D,L-propargylglycine and N-acetylpropargylglycine in urine and several tissues of D,L-propargylglycine-treated rats using liquid chromatography–mass spectrometry 660(1994)375
Johansson, M. and Bielenstein, M.
Determination of 4-hydroxycyclophosphamide in plasma, as 2,4-dinitrophenylhydrazone derivative of aldophosphamide, by liquid chromatography 660(1994)111
Jönsson, B.A.G., see Lindh, C.H. 660(1994)57
Joshi, A.S., Raghavan, N., Williams, R.M., Takahashi, K., Shingu, H. and King, S.-Y.P.
Simultaneous quantification of an anti-inflammatory compound (DuP 697) and a potential metabolite (X6882) in human plasma and urine by high-performance liquid chromatography 660(1994)143
Kanazawa, T., see Nakai, H. 660(1994)211
Kayano, M., see Nakai, H. 660(1994)211
Kettrup, A., see Lintelmann, J. 660(1994)67
Kharasch, E.D., see Labroo, R. 660(1994)85
Kim, M.-S., see Myung, S.-W. 660(1994)75
King, S.-Y.P., see Joshi, A.S. 660(1994)143
Kinuta, M., see Masuoka, N. 660(1994)31
Kirch, W., see Oertel, R. 660(1994)353
Kodama, H., see Jianying, Z. 660(1994)375
Kohlhof, K., see Song, D.M. 660(1994)95
Koike, T., see Iwase, H. 660(1994)422
Kramer Nielsen, K., see Nielsen, F. 660(1994)103
Kudoh, S., Sato, T., Okada, H., Kumakura, H. and Nakamura, H.
Simultaneous determination of granisetron and 7-hydroxygranisetron in human plasma by high-performance liquid chromatography with fluorescence detection 660(1994)205
Kumakura, H., see Kudoh, S. 660(1994)205
Kuypers, A.W.H.M., Meijerink, J.P.P., Smetsers, T.F.C.M., Linssen, P.C.M. and Mensink, E.J.B.M.
Quantitative analysis of DNA aberrations amplified by competitive polymerase chain reaction using capillary electrophoresis 680(1994)271
Labroo, R. and Kharasch, E.D.
Gas chromatographic–mass spectrometric analysis of alfentanil metabolites. Application to human liver microsomal alfentanil biotransformation 660(1994)85
Laganière, S., Goernert, L. and Beatch, G.
High-performance liquid chromatographic assay for sematilide in plasma using solid-phase extraction microcolumn technology 660(1994)191
Lazarus, L., see Varelis, P. 660(1994)151
Leclerc, J.-M., see Pulido-Cejudo, G. 660(1994)37
Lee, B.-L., see Ong, C.-N. 660(1994)1
Li, F., Cooper, S.F., Côté, M. and Ayotte, C.
Determination of the enantiomers of bunolol in human urine by high-performance liquid chromatography on a chiral AGP stationary phase and identification of their metabolites by gas chromatography–mass spectrometry 660(1994)327
Lindh, C.H. and Jönsson, B.A.G.
Method for analysis of methyltetrahydrophthalic acid in urine using gas chromatography and selected-ion monitoring 660(1994)57
Linssen, P.C.M., see Kuypers, A.W.H.M. 680(1994)271
Lintelmann, J., Hellemann, C. and Kettrup, A.
Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67
Lippi, A., Criscuoli, M., Sardelli, G. and Subissi, A.
High-performance liquid chromatographic method with electrochemical detection for the determination of idrapril, a novel angiotensin-converting enzyme inhibitor, in biological matrices 660(1994)127
Lloberas-Blanch, N., see Gonzalez-Corbella, M.J. 660(1994)395
Loft, S., see Lykkesfeldt, J. 660(1994)23
Lopez-Sabater, M.C., see Gonzalez-Corbella, M.J. 660(1994)395
Lu, D.R., see Abu-Izza, K. 660(1994)347

Lykkesfeldt, J., Loft, S. and Poulsen, H.E.
Simultaneous determination of urinary free cortisol and 6β-hydroxycortisol by high-performance liquid chromatography to measure human CYP3A activity 660(1994)23
Machida, Y., see Jianying, Z. 660(1994)375
Maniara, W.M. and Powell, M.L.
Determination of the rifamycin-related hypolipidemic drug CGP 43371 in human feces, plasma and urine by high-performance liquid chromatography 660(1994)135
Martens, J., Banditt, P. and Meyer, F.P.
Determination of nifedipine in human serum by gas chromatography–mass spectrometry: validation of the method and its use in bioavailability studies 660(1994)297
Masuoka, N., Yao, K., Kinuta, M., Ohta, J., Wakimoto, M. and Ubuka, T.
High-performance liquid chromatographic determination of taurine and hypotaurine using 3,5-dinitrobenzoyl chloride as derivatizing reagent 660(1994)31
Maurer, H.H.
Contributions to Forensic Toxicology (edited by R.K. Müller) (Book Review) 660(1994)421
Mberu, E.K., see Muhia, D.K. 660(1994)196
Meijerink, J.P.P., see Kuypers, A.W.H.M. 680(1994)271
Mensink, E.J.B.M., see Kuypers, A.W.H.M. 680(1994)271
Meulemans, A. and Delsenne, F.
Measurement of nitrite and nitrate levels in biological samples by capillary electrophoresis 660(1994)401
Meyer, F.P., see Martens, J. 660(1994)297
Misztal, G. and Przyborowski, L.
Determination of nadoxolol in human plasma using reversed-phase high-performance liquid chromatography 660(1994)409
Moulin, A., see Chapeau, V. 660(1994)341
Muhia, D.K., Mberu, E.K. and Watkins, W.M.
Differential extraction of artemether and its metabolite dihydroartemisinin from plasma and determination by high-performance liquid chromatography 660(1994)196
Mutlib, A.E., see Riggs, K.W. 660(1994)315
Myung, S.-W., Kim, M.-S., Yoon, C.-N., Park, J.-S. and Ahn, W.-S.
Gas chromatographic–electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75
Nakai, H., Shimamura, Y., Kanazawa, T., Yasuda, S. and Kayano, M.
Determination of a new H^+–K^+ ATPase inhibitor (E3810) and its four metabolites in human plasma by high-performance liquid chromatography 660(1994)211
Nakamura, H., see Kudoh, S. 660(1994)205
Nakamura, M., see Takeda, N. 660(1994)223
Nielsen, F., Kramer Nielsen, K. and Brøsen, K.
Determination of quinidine, dihydroquinidine, (3*S*)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103
Nomeir, A.A., see Ferrala, N.F. 660(1994)291
Oertel, R., Richter, K., Trausch, B., Berndt, A., Gramatté, T. and Kirch, W.
Elucidation of the structure of talinolol metabolites in man. Determination of talinolol and hydroxylated talinolol metabolites in urine and analysis of talinolol in serum 660(1994)353
Ohshima, Y., see Aoki, H. 660(1994)365
Ohta, J., see Masuoka, N. 660(1994)31
Okada, H., see Kudoh, S. 660(1994)205
Okazaki, O., see Aoki, H. 660(1994)365
Okuma, E. and Abe, H.
Simultaneous determination of D- and L-amino acids in the nervous tissues of crustaceans using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase ion-pair high-performance liquid chromatography 660(1994)243
Ong, C.-N. and Lee, B.-L.
Determination of benzene and its metabolites: Application in biological monitoring of environmental and occupational exposure to benzene (Review) 660(1994)1
Ono, I., see Iwase, H. 660(1994)422
Park, J.-S., see Myung, S.-W. 660(1994)75
Poulsen, H.E., see Lykkesfeldt, J. 660(1994)23
Powell, M.L., see Maniara, W.M. 660(1994)135
Przyborowski, L., see Misztal, G. 660(1994)409
Pulido-Cejudo, G., Gagnon, J., Leclerc, J.-M., Jamison, K., Gordon, J. and Campione-Piccardo, J.
Measurement of nucleoside diphosphate kinase–Nm23 activity by anion-exchange high-performance liquid chromatography 660(1994)37
Raghavan, N., see Joshi, A.S. 660(1994)143
Raut, S., Corran, P.H. and Gaffney, P.J.
Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390
Richter, K., see Oertel, R. 660(1994)353
Riggs, K.W., Szeitz, A., Rurak, D.W., Mutlib, A.E., Abbott, F.S. and Axelson, J.E.
Determination of metoclopramide and two of its metabolites using a sensitive and selective gas chromatographic–mass spectrometric assay 660(1994)315
Rivero-Urgell, M., see Gonzalez-Corbella, M.J. 660(1994)395
Rommelspacher, H., see Sällström Baum, S. 660(1994)235
Rooyakkers, D.R., see Van Eijk, H.M.H. 660(1994)251
Rurak, D.W., see Riggs, K.W. 660(1994)315
Rutten, A.J., see Whiting, M.J. 660(1994)170
Sällström Baum, S. and Rommelspacher, H.
Determination of total dopamine, *R*- and *S*-salsolinol in human plasma by cyclodextrin bonded-phase liquid chromatography with electrochemical detection 660(1994)235
Samuelsen, O.B.
Simultaneous determination of ormethoprim and sulphadimethoxine in plasma and muscle of Atlantic salmon *(Salmo salar)* 660(1994)412
Sardelli, G., see Lippi, A. 660(1994)127
Sato, T., see Kudoh, S. 660(1994)205

Schilt, R., see Hooijerink, H. 660(1994)303
Seenaiah, B. and Ellingson, J.S.
High-performance liquid chromatographic method for determination of the metabolism of polyunsaturated molecular species of phosphatidylserine labeled in the polar group 660(1994)380
Shimamura, Y., see Nakai, H. 660(1994)211
Shingu, H., see Joshi, A.S. 660(1994)143
Smetsers, T.F.C.M., see Kuypers, A.W.H.M. 680(1994)271
Smythe, G.A., see Varelis, P. 660(1994)151
Song, D.M., Zhang, S. and Kohlhof, K.
Determination of chlordiazepoxide in mouse plasma by gas chromatography–negative-ion chemical ionization mass spectrometry 660(1994)95
Subissi, A., see Lippi, A. 660(1994)127
Sugahara, K., see Jianying, Z. 660(1994)375
Szeitz, A., see Riggs, K.W. 660(1994)315
Takahashi, K., see Joshi, A.S. 660(1994)143
Takeda, N., Nakamura, M., Yoshizumi, H. and Tatematsu, A.
Detection of ribose-methylated nucleotides in *Pyrodictium occultum* tRNA by liquid chromatography—frit-fast atom bombardment mass spectrometry 660(1994)223
Tanaka, M., see Aoki, H. 660(1994)365
Tatematsu, A., see Takeda, N. 660(1994)223
Tesoriere, G., see Calvaruso, G. 660(1994)259
Trausch, B., see Oertel, R. 660(1994)353
Turková, J.
Molecular interactions in bioseparations (edited by T.T. Ngo) (Book Review) 660(1994)419
Ubuka, T., see Futani, S. 660(1994)164
Ubuka, T., see Masuoka, N. 660(1994)31
Van Bennekom, E.O., see Hooijerink, H. 660(1994)303
Van Eijk, H.M.H., Huinck, M.P.L., Rooyakkers, D.R. and Deutz, N.E.P.
Automated simultaneous isolation and quantitation of labeled amino acid fractions from plasma and tissue by ion-exchange chromatography 660(1994)251
Varelis, P., Smythe, G.A., Hodgson, D. and Lazarus, L.
Measurement of urinary free cortisol by stable isotope dilution mass spectrometry using a new cortisol derivative 660(1994)151
Vento, R., see Calvaruso, G. 660(1994)259
Volkov, S.K. and Grodnitskaya, E.I.
Application of high-performance liquid chromatography to the determination of vinblastine in *Catharanthus roseus* 660(1994)405
Wakimoto, M., see Masuoka, N. 660(1994)31
Wang, W.-L., Darwin, W.D. and Cone, E.J.
Simultaneous assay of cocaine, heroin and metabolites in hair, plasma, saliva and urine by gas chromatography–mass spectrometry 660(1994)279
Watkins, W.M., see Muhia, D.K. 660(1994)196
Whiting, M.J., Rutten, A.J., Williams, P. and Bersten, A.D.
Determination of N^G-nitro-L-arginine and N^G-nitro-L-arginine methyl ester in plasma by high-performance liquid chromatography 660(1994)170
Williams, P., see Whiting, M.J. 660(1994)170
Williams, R.M., see Joshi, A.S. 660(1994)143
Yajima, Y., see Fujii, E. 660(1994)265
Yamaguchi, M., see Funakoshi, K.-i. 660(1994)200
Yamashita, K., see Funakoshi, K.-i. 660(1994)200
Yao, K., see Masuoka, N. 660(1994)31
Yashiki, T., see Funakoshi, K.-i. 660(1994)200
Yasuda, S., see Nakai, H. 660(1994)211
Yoon, C.-N., see Myung, S.-W. 660(1994)75
Yoshizumi, H., see Takeda, N. 660(1994)223
Zhang, S., see Song, D.M. 660(1994)95